

(19) World Intellectual Property Organization  
International Bureau(43) International Publication Date  
11 December 2003 (11.12.2003)


PCT

(10) International Publication Number  
WO 03/103155 A2

- (51) International Patent Classification<sup>7</sup>: **H04B**
- (21) International Application Number: PCT/IB03/02251
- (22) International Filing Date: 28 May 2003 (28.05.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
02077117.6 30 May 2002 (30.05.2002) EP  
02292415.3 1 October 2002 (01.10.2002) EP
- (71) Applicant (for all designated States except US):  
**SCHLUMBERGER SYSTEMES** [FR/FR]; 50 avenue Jean-Jaurès, F-92120 Montrouge (FR).
- (71) Applicant (for MC only): **SCHLUMBERGER MALCO, INC** [US/US]; 9800 Reistertown road, Owings Mills, MD 21117 (US).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): **HAMICHI, Farid** [FR/JP]; Schlumberger KK, 14-30 Hokuyo 2-chome, Nagaoka-shi, Niigata-ken 940-0871 (JP).
- (74) Common Representative: **SCHLUMBERGER SYSTEMES**; Patrice GUILLERM, 50 avenue Jean-Jaurès, F-92120 Montrouge (FR).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Declaration under Rule 4.17:  
— of inventorship (Rule 4.17(iv)) for US only

[Continued on next page]

(54) Title: REMOTE APPLICATION CORRECTION



(57) Abstract: The invention deals with a data processing system (CAR), particularly a smart card coupled to a communication device (MOB), communicating with a remote entity (OP), characterized in that said system comprises:- A location for storing a file (F) which can be downloaded from said remote entity;- A program (GS) for performing the following steps: o Before performing data correction in the system, a checking step in which said program (GS) checks whether a file (F) has been downloaded, o If such a file (F) is present, the program (GS) modifies the application (APP) on the basis of the data stored in the file (F).



**Published:**

— without international search report and to be republished  
upon receipt of that report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## REMOTE APPLICATION CORRECTION

### DESCRIPTION

5

#### Technical field

10

This invention deals with a method to correct data in a data processing system remotely. The example chosen to illustrate the invention is that of the smartcard, particularly a SIM (Subscriber Identity Module) card coupled to a Portable object (Mobile phone, PDA, etc.).

Generally, this invention can be applied to all the smart card industry and not only the GSM (Global System for Mobile Communication) industry. That means for all other smart cards product with an Over The Air system or any smart card product with a remote system management.

15

The invention will be very useful to new business proposals regarding maintenance system.

#### Prior art

20

GSM SIM Card manufacturers face a big issue when they have to deal with defect corrections on cards that are already on the field. They provide from thousands up to millions of card to Telecommunications operators. They also provide various kinds of applications with various level of complexity.

25

Sometimes, even after a long integration and validation phase, a problem is discovered on some of these applications when they are already on the field.

30

A correction of these defects is very painful for the Telecommunication operators and Card manufacturer industry. Because they have to deal with a huge number of cards, it will always cost a lot of money to correct the defects, even if the problem is minor. In many situations, the cost is so prohibitive that no correction can be done.

A smart card is based on a chip. In the heart of this chip, more particularly in a ROM (Read Only Memory), Card manufacturers put their operating system called "hardmask", and load their applications on a

EEPROM (Electrically Erasable programmable Read Only Memory). These applications can be a mix of "softmask" and applets.

A mask is a software dedicated for a smart card microcontroller.

Once the applications are loaded on the card and when the personalization is done, the card is locked. At that time no more softmask applications can be downloaded. With a Java smartcard it is possible to download another applet but the previous one has to be deleted entirely. Cards are released on the field and no further correction can be done. Only smartcard file system management (creation or deletion) is possible with the Over The Air services.

### **Summary of the Invention**

The goal of the invention is to simplify correction of applications. More particularly, a goal is to reduce cost in time and in money of such correction.

According to the invention, the smartcard comprises a location for storing a file downloaded from a remote entity; the smartcard also comprises a program for performing the following steps:

- Before performing data correction in the system, a checking step in which said program (GS) checks whether a file (F) has been downloaded,
- If such a file (F) is present, the program (GS) modifies the application (APP) on the basis of the data stored in the file (F).

Said program will be able to allow a remote correction. The cards will neither be retrieved from the field nor replaced. This will ease the pain for Card manufacturer and decreased significantly the cost of a correction.

It will be easier to understand the invention on reading the description below, given as an example and referring to the attached drawings.

### **In the drawings:**

- Fig 1 is a general view of a system in which can be applied the invention.

- Fig 2 is an algorithm including different steps illustrating the invention.

### **Detailed description of examples illustrating the invention**

5 To simplify the description, the same elements illustrated in the drawings have the same references.

Figure 1 is a schematic view of a system in which the invention can be applied. This system comprises a SIM card CAR coupled to a mobile phone MOB: An application APP is stored on the SIM card.

A smartcard includes an electronic module (not shown). The module includes a microcontroller and contacts to communicate with the exterior. The microcontroller generally includes:

- a microprocessor to execute commands,
- 15 - non volatile memories ROM (Read Only Memory), whose content is burnt in the factory and therefore cannot be modified. This memory is generally used to store hardmasks;
- non volatile memories, for example EEPROM (electrically erasable programmable read only memory). This memory is generally used to store softmasks;
- 20 - volatile memories RAM, work space to execute the card commands,
- security units, taking into consideration the power supply voltage, clock speed, etc.,
- a data bus connecting everything,
- 25 - an input-output bus to communicate, in our example of realisation, with the mobile phone MOB.

In our illustrated invention, a telecommunication operator OP communicates with the mobile phone MOB by way of a network NET.

30 The aim is to update an application APP stored in the card CAR.

According to the invention, the SIM card includes a program GS and a location for storing a file F which can be downloaded from the network into the card.

Figure 1 illustrates an example in which a file F has been downloaded from the operator into the card CAR. In this example, under a dedicated file DF or a master file MF, a File F with a specific ID (Identifier) and, preferably, with a specific format, will contain the fixing configuration data.

The ID can be chosen at the personalization or be set during the project life, depending on the requirements or the evolution of the project. This file F can be created at any time during the card life, i.e. during the personalisation or, better, while the card is on the field. Since it is a file, this can be done easily thanks to current Over The Air (OTA) services.

The program GS performs the following steps:

- A checking-step in which it checks whether a downloaded file F is present on the data processing system; the program (GS) searches for this identifier (ID) for performing a modification of the application (APP).
- If such a file is present, a modification step in which the program GS modifies the application on the basis of the data stored in the said file F.

In our example, the program GS is run during the initialisation phase of the card. Preferably, the program GS will be totally executed once and only once. The execution will happen only if fixing configuration data included in a file F are downloaded and stored on the card. If not, the execution will not be performed.

Advantageously, this file F will contains data formatted in such a way that it will be interpreted correctly by the program GS. Automatically, the current application APP stored in the SIM card with a previous behaviour will be replaced with a new one behaviour described in the downloaded file.

Figure 2 is an algorithm including different steps illustrating the invention.

Considering that it exists a new release of the application APP. For example, the new application includes new APDU (Application Protocol Data Unit) commands. A new softmask (after being fully tested) is re-shaped into a fixing configuration data file F. Once the fixing configuration data file F is created, this one is downloaded, in our example, by way of an Over The Air (OTA) service, from the operator entity into the card CAR. In our example, as mentioned above, the program GS is executed during initialisation. So, next time the mobile phone is switched on, the modification is taken into account.

The steps of the an example illustrating the invention can be the followings:

Step 1 (S1)

The mobile phone is switched on.

Step 2 (S2)

The program GS checks whether a file F with a specific ID is stored in the card. If yes, step 3 is performed; if not, the correction is not performed.

Step 3 (S3)

In our example, the program GS checks whether this file F is activated. In other words, after the program (GS) has found the identifier (ID), it also checks whether the file (F) is activated or deactivated; if the file is activated, the program (GS) performs the modification (step 4); if the file is deactivated, the program (GS) doesn't perform the modification.

Step 4 (S4)

In our example, advantageously, the program GS checks the type of the correction. If the correction consists in data modification, it performs step 5A; if it consists in a code substitution mechanism, it performs steps 5B&6B.

Step 5A (S5)

Data are modified.

Step 5B (S5B)

5 The program GS searches for the entry point to use in the fixing configuration file F.

Step 6B (S6B)

Data are substituted.

10 Step 7 (S7)

Advantageously, after performing the correction, the program GS deactivates and deletes the configuration file F.

Step 8 (S8)

15 The correction process is finished.

In our example, in reference to figure 1A and 1B, the program GS is run at card initialisation. Nevertheless, we could run it at any time, for example, at successful reception of a SMS (Short Message Service) preferably protected with a 03.48 security layer and a end-to-end encryption for more security. This program could also run when a configuration zone has been updated in the card CAR.

25 In our embodiment, the program GS detects that a configuration zone exists if it finds the header of this zone in the EEPROM memory. The program also detects that the zone is activated, for example, if inside its header an activated parameter is set.

30 In our example, two types of corrections can be done: data or code correction. A data correction means application data have to be changed but not the application itself. A code correction means the current code of the application has to be modified.



More specifically, for a data modification, in the configuration zone, the exact address in the EEPROM, the new content and its size have to be stored. With these parameters the program GS proceed to the modification.

5 For a code modification, in the configuration zone, the address of the previous code in the EEPROM (entry point), the new code content and its size have to be stored. First of all, the program GS deactivates the previous code and then proceeds to the code substitution.

10 A Configuration zone could be a file formatted as an EEPROM area non directly reachable. This configuration zones could comprise the following parts:

- A header including a standard header zone and a security parameter zone;
- 15 - A configuration body zone, which contains specific data such as number of corrections, types of correction, and for each correction the associated data.

20 The invention also concerns a computer program (GS) stored in the card CAR comprising code instructions for performing the following steps:

- o Before performing data correction in said system, it checks whether a file (F) has been downloaded into said system (CAR),
- 25 o If yes, it modifies the application (APP) on the basis of the data stored in the file (F).

We now see that this invention offers other clear advantages. The invention allows a remote modification of applications, in particular correction of errors. The smart card does not have to be physically returned to a centre  
30 for making the modification correction.

5 The program GS is preferably a softmask. This program GS is a generic application remote bug correction system with the above-identified constraints (locked cards, Over The Air services) taken into account. This program will depend on the hardmask (because it will refer to the memory mapping done by the product line group when the hardmask is implemented). This program GS can also be implemented on the hardmask side and become a product feature that may or may not be activated. This program GS will be part of any new applications that will be released (it can also be an option chosen by the customer as a guarantee to solve unknown problems that may occur after the global application validation).

10 With this program GS and a file F as defined above, depending on the complexity level of the modification and the available size on the card, it will be possible to modify, to change the behaviour of an application APP already on the field. The modification will be transparent to the end-user. And it will be very easy for any Telecommunication operators to do it.

15 After an analysis of the problem by the operator or the card manufacturer and a feasibility study of the defect fixing, it will be possible for example to say if the problem can be corrected remotely. If it is, the card manufacturer can provide fixing configuration data to the Telecommunication operators, and they can be sent to the cards with, for example, a basic Over The Air service.

25 This softmask is by itself a value-added service.

**CLAIMS**

1. A data processing system (CAR), particularly a smart card coupled to a communication device (MOB), communicating with a remote entity (OP), characterized in that said system comprises:

- A location for storing a file (F) which can be downloaded from said remote entity;
- A program (GS) for performing the following steps:
  - o Before performing data correction in the system, a checking step in which said program (GS) checks whether a file (F) has been downloaded,
  - o If such a file (F) is present, the program (GS) modifies the application (APP) on the basis of the data stored in the file (F).

2. A method for updating an application (APP) stored in a memory of a data processing system (CAR), in particular a smart card coupled to a communication device (MOB), said system being able to communicate with a remote entity (OP), characterized in that it comprises the following steps:

- Before performing data correction, a program (GS) stored inside the data processing system checks whether a file (F) has been downloaded from said entity into said data processing system,
- If such a file (F) is present, said program (GS) modifies the application (APP) on the basis of the data stored in said downloaded file (F).

3. The method according to claim 2, characterized in that, when said program (GS) modifies an application (APP) on the basis of the data stored in the file (F), the program (GS) writes the new code or data and deactivates the previous one.

4. The method according to claim 2, characterized in that said file (F) has a predetermined identifier (ID), and in that the program (GS) searches for this identifier (ID) for performing a modification of the application (APP).

5. The method according to claim 4, characterized in that, after the program (GS) has found the identifier (ID), it also checks whether the file (F) is activated or deactivated; if the file is activated, the program (GS) performs the modification; if the file is deactivated, the program (GS) doesn't perform the modification.

6. Computer program (GS) stored in a data processing system (CAR), in particular a smart card coupled to a communication device (CAR), said system (CAR) including a microcontroller comprising code instructions for performing the following steps:

- o Before performing data correction in said system, it checks whether a file (F) has been downloaded into said system (CAR),
- o If yes, it modifies the application (APP) on the basis of the data stored in the file (F).




Figure 1




Figure 2

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
11 December 2003 (11.12.2003)


PCT

(10) International Publication Number  
**WO 2003/103155 A3**

- (51) International Patent Classification<sup>7</sup>: **G06F 9/445** (72) Inventor; and  
(75) Inventor/Applicant (for US only): **HAMICHI, Farid**  
(21) International Application Number: **PCT/IB2003/002251** [FR/JP]; Schlumberger KK, 14-30 Hokuyo 2-chome,  
Nagaoka-shi, Niigata-ken 940-0871 (JP).  
(22) International Filing Date: **28 May 2003 (28.05.2003)** (74) Common Representative: **AXALTO SA; c/o Vincent**  
**YQUEL, 50 avenue Jean-Jaurès, F-92120 Montrouge**  
(25) Filing Language: **English** (FR).  
(26) Publication Language: **English** (81) Designated States (national): **AE, AG, AL, AM, AT, AU,**  
**AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,**  
**CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,**  
**GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,**  
**LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,**  
**MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD,**  
**SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US,**  
**UZ, VC, VN, YU, ZA, ZM, ZW.**  
(30) Priority Data: **02077117.6 30 May 2002 (30.05.2002) EP**  
**02292415.3 1 October 2002 (01.10.2002) EP**  
(71) Applicant (for all designated States except US): **AXALTO**  
**SA [FR/FR]; 50, avenue Jean Jaurès, F-92120 Montrouge**  
**(FR).**  
(71) Applicant (for MC only): **SCHLUMBERGER MALCO,**  
**INC [US/US]; 9800 Reistertown road, Owings Mills, MD**  
**21117 (US).** (84) Designated States (regional): **ARIPO patent (GH, GM,**  
**KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),**  
**Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),**  
**European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,**  
**ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,**

[Continued on next page]

(54) Title: REMOTE APPLICATION CORRECTION



(57) Abstract: The invention deals with a data processing system (CAR), particularly a smart card coupled to a communication device (MOB), communicating with a remote entity (OP), characterized in that said system comprises:- A location for storing a file (F) which can be downloaded from said remote entity;- A program (GS) for performing the following steps: Before performing data correction in the system, a checking step in which said program (GS) checks whether a file (F) has been downloaded, If such a file (F) is present, the program (GS) modifies the application (APP) on the basis of the data stored in the file (F).



SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(88) Date of publication of the international search report:  
26 May 2005

**Declaration under Rule 4.17:**

— of inventorship (Rule 4.17(iv)) for US only

**Published:**

— with international search report

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

## INTERNATIONAL SEARCH REPORT

Int'l Application No

PCT/IB 03/02251

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 G06F9/445

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, IBM-TDB, INSPEC, COMPENDEX

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 338 435 B1 (CARPER TODD) 15 January 2002 (2002-01-15) column 1, line 9 - column 6, line 26 column 6, line 45 - column 9, line 8	1-6
X	EP 0 924 611 A (TEXAS INSTRUMENTS INC) 23 June 1999 (1999-06-23) page 2, line 14 - page 2, line 46	1-6
A	US 6 275 694 B1 (GAGLIONE PHILIPPE ET AL) 14 August 2001 (2001-08-14) column 1, line 1 - column 2, line 50	1-6
A	WO 01/59563 A (BOUDOU ALAIN ;BULL CP8 (FR); URIEN PASCAL (FR); SIEGELIN CHRISTOPH) 16 August 2001 (2001-08-16) page 1, line 1 - page 11, line 15	1-6
	-/-	

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

## \* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

2 July 2004

Date of mailing of the international search report

13/07/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Lo Turco, S



## INTERNATIONAL SEARCH REPORT

Int. Patent Application No  
PCT/IB 03/02251

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 2001/044790 A1 (BUSH WILLIAM ET AL) 22 November 2001 (2001-11-22) page 1, left-hand column, paragraph 1 - page 1, right-hand column, paragraph 12 -----	1-6
A	WO 00/68902 A (MICROSOFT CORP) 16 November 2000 (2000-11-16) page 1, line 1 - page 5, line 12 -----	1-6

## INTERNATIONAL SEARCH REPORT

Int. Application No

PCT/IB 03/02251

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 6338435	B1	15-01-2002	WO 0116873 A1	08-03-2001
			US 6480935 B1	12-11-2002
			US 6390374 B1	21-05-2002
			US 6256690 B1	03-07-2001
EP 0924611	A	23-06-1999	US 6295645 B1	25-09-2001
			EP 0924611 A2	23-06-1999
US 6275694	B1	14-08-2001	NONE	
WO 0159563	A	16-08-2001	FR 2805059 A1	17-08-2001
			AU 3564701 A	20-08-2001
			CA 2366556 A1	16-08-2001
			CN 1363064 T	07-08-2002
			EP 1188116 A1	20-03-2002
			WO 0159563 A1	16-08-2001
			JP 2003523012 T	29-07-2003
			TW 501063 B	01-09-2002
			US 2002174071 A1	21-11-2002
US 2001044790	A1	22-11-2001	AU 5800799 A	10-04-2000
			WO 0017783 A2	30-03-2000
WO 0068902	A	16-11-2000	AU 4712000 A	21-11-2000
			EP 1179209 A1	13-02-2002
			WO 0068902 A1	16-11-2000